AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1-115. (Canceled)

- 116. **(Previously presented)** A system for control of gene expression comprising:
 - (i) a first nucleic acid molecule comprising a cis-repressive sequence element upstream of an open reading frame (ORF), or including part of the open reading frame, wherein the first nucleic acid molecule forms a stem-loop structure that represses translation of the ORF; and
 - (ii) a second nucleic acid molecule comprising first and second stem-forming portions and a non-stem-forming portion, wherein the non-stem-forming portion connects the 3' end of the first stem-forming portion and the 5' end of the second stem-forming portion to form a loop, and wherein a portion of the second nucleic acid molecule is complementary or substantially complementary to a portion of the first nucleic acid molecule and interacts with the first nucleic acid molecule to derepress translation of the ORF.

117-176. (Canceled)

- 177. **(Withdrawn)** A kit for allowing a user to regulate expression of a gene of choice comprising:
 - (a) a first plasmid comprising
 - (i) a template for transcription of a cis-repressive RNA element; and
 - (ii) a promoter located upstream of the template for transcription of the cis-repressive RNA element;
 - (b) a second plasmid comprising

- (i) a template for transcription of a cognate trans-activating RNA element; and
- (ii) a promoter located upstream of the template for transcription of the trans-activating RNA element; and
- (c) one or more elements selected from the list consisting of: (i) one or more inducers; (ii) host cells; (iii) one or more buffers; (iv) an enzyme, e.g., a restriction enzyme; (v) DNA isolation reagents; (vi) DNA purification reagents; (vii) a control plasmid lacking a crRNA or taRNA sequence; (viii) a control plasmid containing a crRNA or taRNA sequence or both; (ix) sequencing primers; and (x) instructions for use.
- 178. **(Withdrawn)** A kit for allowing a user to regulate expression of a gene of choice comprising:

a plasmid comprising a template for transcription of a cis-repressive RNA element and a promoter located upstream of the template for transcription of the cis-repressive RNA element and further comprising a template for transcription of a cognate trans-activating RNA element and a promoter located upstream of the template for transcription of the cognate trans-activating RNA element; and

one or more elements selected from the list consisting of: (i) one or more inducers; (ii) host cells; (iii) one or more buffers; (iv) an enzyme, e.g., a restriction enzyme; (v) DNA isolation reagents; (vi) DNA purification reagents; (vii) a control plasmid lacking a crRNA or taRNA sequence; (viii) a control plasmid containing a crRNA or taRNA sequence or both; (ix) sequencing primers; and (x) instructions for use.

- 179. **(Withdrawn)** A kit for allowing a user to regulate expression of a gene of choice comprising:
 - (a) a first plasmid comprising
 - (i) a template for transcription of a cis-repressive RNA element; and
 - (ii) a promoter located upstream of the template for transcription of the cis-repressive RNA element;

- (b) a second plasmid comprising
- (i) a template for transcription of a cognate trans-activating RNA element; and
- (ii) a promoter located upstream of the template for transcription of the trans-activating RNA element;
- (c) a third plasmid comprising a template for transcription of a cis-repressive RNA element and a promoter located upstream of the template for transcription of the cis-repressive RNA element and further comprising a template for transcription of a cognate trans-activating RNA element and a promoter located upstream of the template for transcription of the cognate trans-activating RNA element; and
- (d) one or more elements selected from the list consisting of: (i) one or more inducers; (ii) host cells; (iii) one or more buffers; (iv) an enzyme, e.g., a restriction enzyme; (v) DNA isolation reagents; (vi) DNA purification reagents; (vii) a control plasmid lacking a crRNA or taRNA sequence; (viii) a control plasmid containing a crRNA or taRNA sequence or both; (ix) sequencing primers; and (x) instructions for use.

180. (Previously presented) A kit comprising:

one or more oligonucleotides comprising a crRNA sequence, one or more oligonucleotides comprising a taRNA sequence, or one or more oligonucleotides comprising a crRNA sequence and one or more oligonucleotides comprising a taRNA sequence, wherein the kit further comprises one or more items selected from the group consisting of: (i) one or more inducers; (ii) host cells; (iii) one or more buffers; (iv) an enzyme, e.g., a restriction enzyme; (v) DNA isolation reagents; (vi) DNA purification reagents; (vii) a control plasmid lacking a crRNA or taRNA sequence; (viii) a control plasmid containing a crRNA or taRNA sequence or both; (ix) sequencing primers; and (x) instructions for use.

181. **(Withdrawn)** A method of regulating translation of an open reading frame comprising steps of:

introducing an engineered template for transcription of an mRNA into a cell and allowing mRNA transcription to occur resulting in a transcribed mRNA, wherein the template is engineered so that the transcribed mRNA comprises first and second nucleic acid elements that form a stem-loop structure that represses translation of the mRNA; and

providing an engineered nucleic acid molecule that interacts with the mRNA so as to derepress translation of the mRNA to the cell.

- 182. (Withdrawn) The method of claim 181, wherein the engineered template comprises:
 - (i) a first stem-forming portion;
 - (ii) a second stem-forming portion, wherein the two stem-forming portions are complementary or substantially complementary;
 - (iii) a non-stem-forming portion connecting the 3' end of the first stem-forming portion and the 5' end of the second stem-forming portion; and
 - (iv) an open reading frame (ORF),

wherein the engineered nucleic acid molecule forms a stem-loop structure that represses translation of the ORF.

183-242. (Canceled)

- 243. **(Withdrawn)** The method of claim 181, wherein the engineered nucleic acid molecule comprises:
 - (i) a first stem-forming portion;
 - (ii) a second stem-forming portion; and
 - (iii) a non-stem-forming portion , wherein the non-stem-forming portion connects the 3' end of the first stem forming portion and the 5' end of the second stem-forming portion to form a loop,

and wherein a portion of the nucleic acid molecule is complementary or substantially complementary, to a portion of the transcribed mRNA.

- 244. **(Previously presented)** The system of claim 116, wherein the first nucleic acid molecule represses translation by at least 80%.
- 245. **(Previously presented)** The system of claim 116, wherein the first nucleic acid molecule represses translation by at least 90%.
- 246. **(Previously presented)** The system of claim 116, wherein the first nucleic acid molecule represses translation by at least 98%.
- 247. **(Previously presented)** The system of claim 116, wherein the second nucleic acid molecule activates translation by at least 5 fold.
- 248. **(Previously presented)** The system of claim 116, wherein the second nucleic acid molecule activates translation by at least 10 fold.
- 249. **(Previously presented)** The system of claim 116, wherein the second nucleic acid molecule activates translation by at least 19 fold.
- 250. **(Previously presented)** The system of claim 116, wherein the first and second nucleic acid molecules are composed of RNA.
- 251. **(Withdrawn)** The system of claim 116, wherein the first and second nucleic acid molecules are composed of DNA.
- 252. **(Withdrawn)** The system of claim 116, wherein the first and second nucleic acid molecules are composed of DNA and RNA.
- 253. (Currently amended) The system of claim 116, wherein the nucleic acid molecule cisrepressive sequence element is positioned upstream of the ORF.
- 254. **(Previously presented)** The system of claim 116, wherein the first nucleic acid molecule comprises:
 - (i) a first stem-forming portion;

- (ii) a second stem-forming portion, wherein the two stem-forming portions are complementary or substantially complementary, and
- (iii) a non-stem-forming portion that forms a loop connecting the 3' end of the first stem-forming portion and the 5' end of the second stem-forming portion, wherein the engineered nucleic acid molecule forms a stem-loop structure that represses translation when positioned upstream of an open reading frame (ORF).
- 255. (Currently amended) The system of claim 254, wherein the first and second stemforming portions of the first nucleic acid molecule are substantially complementary.
- 256. **(Previously presented)** The system of claim 116, wherein at least a portion of the first nucleic acid molecule is complementary or substantially complementary to a ribosome binding site (RBS).
- 257. **(Previously presented)** The system of claim 116, wherein at least a portion of the first nucleic acid molecule is complementary or substantially complementary to a Kozak consensus sequence.
- 258. **(Currently amended)** The system of claim 254, wherein the sequence of the second stem-forming portion of the first nucleic acid molecule comprises an RBS.
- 259. **(Currently amended)** The system of claim 254, wherein the sequence of the non-stemforming portion of the first nucleic acid molecule comprises YUNR.
- 260. (Currently amended) The system of claim 254, wherein the non-stem forming portion of the first nucleic acid molecule is 4, 5, 6, 7, 8, 9, 10, 11, or 12 nucleotides in length.
- 261. **(Withdrawn)** The system of claim 254, wherein the non-stem forming portion is between 13 and 50 nucleotides in length, inclusive.

- 262. (Currently amended) The system of claim 254 116, whereby the length of the stem formed by the two stem-forming portions of the first nucleic acid molecule is between 4 and 100 nucleotides, inclusive.
- 263. (Currently amended) The system of claim 254 116, wherein the length of the stem formed by the two stem-forming portions of the first nucleic acid molecule is between 6 and 50 nucleotides, inclusive.
- 264. (Currently amended) The system of claim 254 116, wherein the length of the stem formed by the two stem-forming portions of the first nucleic acid molecule is between 12 and 30 nucleotides, inclusive.
- 265. (Currently amended) The system of claim 254 116, wherein the length of the stem formed by the two stem-forming portions of the first nucleic acid molecule is approximately 19 nucleotides.
- 266. (Currently amended) The system of claim 254 116, wherein the stem two stem-forming portions of the first nucleic acid molecule exhibit exhibits at least 66% complementarity.
- 267. (Currently amended) The system of claim 254 116, wherein the stem two stem-forming portions of the first nucleic acid molecule exhibit exhibits between 75 and 95% complementarity.
- 268. (Currently amended) The system of claim 254 116, wherein the stem two stem-forming portions of the first nucleic acid molecule exhibit exhibits approximately 85% complementarity.
- 269. (Currently amended) The system of claim 254 116, wherein the stem formed by the two stem-forming portions of the first nucleic acid molecule includes at least one area of non-complementarity.
- 270. **(Currently amended)** The system of claim 269, wherein the stem <u>formed by the two</u> stem-forming portions of the first nucleic acid molecule includes at least one bulge.

- 271. (Currently amended) The system of claim 254 116, wherein the stem formed by the two stem-forming portions of the first nucleic acid molecule includes at least two dispersed areas of non-complementarity.
- 272. (Currently amended) The system of claim 271, wherein the stem formed by the two stem-forming portions of the first nucleic acid molecule includes at least two dispersed bulges.
- 273. (Currently amended) The system of claim 254 116, wherein the stem formed by the two stem-forming portions of the first nucleic acid molecule includes at least three dispersed areas of non-complementarity.
- 274. (Currently amended) The system of claim 273, wherein the stem <u>formed by the two</u> <u>stem-forming portions of the first nucleic acid molecule</u> includes at least three dispersed bulges.
- 275. (Currently amended) The system of claim 116, wherein the <u>first</u> nucleic acid molecule forms a single stable stem.
- 276. (Currently amended) The system of claim 116, wherein the <u>first</u> nucleic acid molecule represses translation in the absence of a ligand.
- 277. (Currently amended) The system of claim <u>254</u> 116, wherein the first stem-forming portion of the first nucleic acid molecule comprises a sequence complementary or substantially complementary to a sequence in the 5' portion of an ORF.
- 278. (Currently amended) The system of claim 254, wherein the <u>first</u> nucleic acid molecule comprises a start codon.
- 279. (Currently amended) The system of claim 278, wherein the <u>first</u> nucleic acid molecule comprises a spacer comprising one or more nucleotides between the 3' end of the second stem-forming portion and the start codon.

- 280. **(Withdrawn)** The system of claim 278, wherein all or part of the start codon is located within the second stem-forming portion.
- 281. (Currently amended) The system of claim 254 116, wherein the <u>first</u> nucleic acid molecule comprises one or more nucleotides at the 5' end that do not participate in the stem-loop structure.
- 282. (Currently amended) The system of claim <u>254 116</u>, wherein the <u>first</u> nucleic acid molecule comprises between 5 and 50 nucleotides upstream of the 5' end of the first stem-forming portion.
- 283. (Currently amended) The system of claim 116, wherein the <u>first</u> nucleic acid molecule comprises a ligand binding domain.
- 284. (Currently amended) The system of claim 254, wherein the <u>first</u> nucleic acid molecule comprises a third stem-forming portion that is complementary or substantially complementary to the second stem-forming portion, wherein the first and third stem-forming portions form alternate stem-loop structures with the second stem-forming portion.
- 285. **(Currently amended)** The system of claim 284, wherein the first and third stem-forming portions of the first nucleic acid molecule comprise a portion that is complementary or substantially complementary to an RBS.
- 286. **(Previously presented)** The system of claim 116, wherein the second nucleic acid molecule comprises a portion comprising the sequence YNAR positioned 5' to the 5' portion of the first stem-forming sequence.
- 287. **(Previously presented)** The system of claim 116, wherein the length of the stem formed by the two stem-forming portions of the second nucleic acid molecule is between 6 and 50 nucleotides.

- 288. **(Previously presented)** The system of claim 116, wherein the length of the stem formed by the two stem-forming portions of the second nucleic acid molecule is between 12 and 30 nucleotides.
- 289. **(Withdrawn)** The system of claim 116, wherein the length of the stem formed by the two stem-forming portions of the second nucleic acid molecule is approximately 19 nucleotides.
- 290. **(Previously presented)** The system of claim 116, wherein the two stem-forming portions of the second nucleic acid molecule exhibit at least 66% complementarity.
- 291. **(Previously presented)** The system of claim 116, wherein the two stem-forming portions of the second nucleic acid molecule exhibit between 75 and 95% complementarity.
- 292. **(Withdrawn)** The system of claim 116, wherein the two stem-forming portions of the second nucleic acid molecule exhibit approximately 85% complementarity.
- 293. **(Previously presented)** The system of claim 116, wherein the stem formed by the two stem-forming portions of the second nucleic acid molecule includes at least one area of non-complementarity.
- 294. **(Previously presented)** The system of claim 116, wherein the stem formed by the two stem-forming portions of the second nucleic acid molecule includes at least two dispersed areas of non-complementarity.
- 295. **(Withdrawn)** The system of claim 116, wherein the stem formed by the two stemforming portions of the second nucleic acid molecule includes at least three dispersed areas of non-complementarity.
- 296. **(Previously presented)** The system of claim 116, wherein the second nucleic acid molecule comprises a nucleotide analog.

- 297. **(Previously presented)** The system of claim 116, wherein the second nucleic acid molecule comprises a ligand binding domain.
- 298. **(Previously presented)** The system of claim 116, wherein the first and second nucleic acid molecules interact so as to disrupt the stem-loop structure formed by the first nucleic acid molecule, thereby allowing a ribosome to gain access to a ribosome binding site.
- 299. **(Withdrawn)** The system of claim 116, wherein the first nucleic acid molecule has the sequence of crR10 and the second nucleic acid molecule has the sequence of taR10.
- 300. **(Previously presented)** The system of claim 116, wherein the first nucleic acid molecule has the sequence of crR12 and the second nucleic acid molecule has the sequence of taR12.
- 301. **(Withdrawn)** The system of claim 116, wherein the first nucleic acid molecule has the sequence of crR10 or a variant of crR10 that differs from crR10 by 12 nucleotides or less and includes at least 3 dispersed areas of non-complementarity and the second nucleic acid molecule has the sequence of taR10 or a variant of taR10 that differs from taR10 by 12 nucleotides or less and includes at least 3 dispersed areas of non-complementarity.
- 302. **(Previously presented)** The system of claim 116, wherein the first nucleic acid molecule has the sequence of crR12 or a variant of crR12 that differs from crR12 by 12 nucleotides or less and includes at least 3 dispersed areas of non-complementarity and the second nucleic acid molecule has the sequence of taR12 or a variant of taR12 that differs from taR12 by 12 nucleotides or less and includes at least 3 dispersed areas of non-complementarity.
- 303. (Previously presented) The system of claim 116, wherein the first nucleic acid molecule and the second nucleic acid molecule have an equilibrium association constant between 0.8×10^7 and 1.5×10^7 kcal/mol.